

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6754885".pn. and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:56
L2	1	"6016497".pn. and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:57
L3	1	"6016497".pn. and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:57
L4	1	"6016497".pn. and path and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:08
L5	1	"6016497".pn. and path and tree and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:08
L6	1	"6016497".pn. and (program same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:12
L7	0	"6016497".pn. and subtype	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:12
L8	0	"6016497".pn. and sub-type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:12

L9	1	"6016497".pn. and sub\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 09:13
S1	433	(incrementing with (compar\$3 with number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:55
S2	105	(incrementing with (compar\$3 with number)) with count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:08
S3	464	(incrementing with (compar\$3 with count))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:08
S4	382	(incrementing with (compar\$3 with count))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:08
S5	16	(incrementing with (compar\$3 with count)) and ("707"/\$.ccls. or "715"/\$.ccls.)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:18
S6	1027	automatically near2 name	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:24
S7	26	automatically near2 filename	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:32
S8	0	"09454729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:32

S9	1	"09/454729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:37
S10	130	NCR and (modules same parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:38
S11	5	NCR and (modules same parallel) and (events same trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:38
S12	423	(modules same parallel) and (events same trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:38
S13	9	(modules same parallel) and (events same trigger) and (trigger same expression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:41
S14	1858	(IBM) and (format same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:41
S15	3141	flash near2 drive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:56
S16	1469	flash near2 drive	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:56
S17	679	S16 and (detect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:57

S18	6	S16 and (detect\$3 near2 disk)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:50
S19	761	"709"/\$.ccls. and IBM and (filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:02
S20	395	"709"/\$.ccls. and IBM and (filter) and "112"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:02
S21	230	"709"/\$.ccls. and IBM and (filter) and "112" and page	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:02
S22	75	"709"/\$.ccls. and IBM and (filter) and "112" and page and template	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:03
S23	339	IBM and (filter) and "112" and page and template	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:03
S24	199	IBM and (filter) and "112" and page and template and web	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:06
S25	777	"112" and page and template and web and publish\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:06
S26	148	"112" and page and template and web and publish\$3 and "709"/\$. ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:09
S27	16	(template same filter same pars\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:32

S28	314	(template) same (based with document)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:33
S29	246	(template) with (based with document)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:33
S30	61	(template) near2 (based with document)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:39
S31	1253	(search\$ same local same remote)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:56
S32	10	(search\$ same local same remote) and ((search near2 query) with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:57
S33	158	(convert\$ with (search near2 (request or query)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:58
S34	50	(convert\$ with (search near2 (request or query))) and (search\$ same databases)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:43
S35	2	"6085176".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:40
S36	1	user-defined-type	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:40
S37	539	user-defined near2 type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:40

S38	6	S37 and (objects same class) and ((data near2 type) with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:47
S39	3	S37 and (objects same class) and ((data near2 type) with identifier) and (column with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:52
S40	2	"6549916".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:08
S41	2	"6366934".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:11
S42	184	(user-defined with type) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:18
S43	57	S42 and ((type or class) with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:12
S44	54	S42 and ((type or class) with identifier) and objects	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:12
S45	54	S42 and ((type or class) with identifier) and (objects same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:12



S46	6	S45 and (subtype or subclass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:17
S47	0	S45 and (subtype or subclass) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:17
S48	1	S42 and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:18
S49	23	(user-defined with type) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:20
S50	1	(user-defined near2 class) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:20
S51	27	(user-defined near2 class) and (class near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:30
S52	2	"6263379".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:31
S53	0	(hierarchy same object same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:31

S54	2	(hierachy same object same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:32
S55	1558	(tree same object same class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:32
S56	4	(tree same object same class) same (class near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:32
S57	2	(tree same object same class) same (class near2 path) same length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:34
S58	8	(column same (class near2 path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:49
S59	2	"5842018".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:50
S60	0	"5842018".pn. and hardward	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 16:50
S61	2	"5842018".pn. and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 17:47



S62	0	"6366934".pn. and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 17:51
S63	1634	UDT or: (user-defined near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 17:51
S64	0	S63 same lenght	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 17:51
S65	121	S63 same length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 17:51
S66	26	S63 same length same (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:05
S67	45	cam-y near2 truong	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:28
S68	2	"5644740".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:11
S69	67	cam near2 y near2 truong	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:11

S70	2	camy near2 truong	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:13
S71	0	Microsoft and (object same id same hiearchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:13
S72	200	Microsoft and (object same id same tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:14
S73	36	Microsoft and (object same id same tree) and (object near2 type)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:18
S74	1	((objects same type) and (type near2 identifier)) and UDT	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:20
S75	5	(hierachy same objects)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:20
S76	3	(hierachy same objects) and (object near2 type)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:20
S77	0	(hierachy same objects) and (object near2 type) and (type near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:20
S78	0	(hierachy same objects) and (object near2 class) and (type near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:21

S79	0	(hierachy same objects) and (object near2 class) and (class near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:21
S80	0	(hierachy same objects) and (object same class) and (class near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:21
S81	0	(hierachy same objects) and (class near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:21
S82	71	(tree same objects) and (class near2 identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:21
S83	4	(tree same objects) and (class near2 identifier) and (path near2 type)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:23
S84	955	(hierarchy same type same object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:23
S85	13	(hierarchy same type same object) and (type near2 path)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:25
S86	0	(hierarchy same type same object) and ((type near2 path) with length)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:24
S87	2	(hierarchy same type same object) and ((type near2 path)) and (path with length)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:24
S88	1101	(objects same type same identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:25

S89	0	(objects same type same identifier) and ((type near2 path) with column)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:25
S90	9	(objects same type same identifier) and ((path) with column)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:26
S91	2	"5999179".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:29
S92	1	"5999179".pn. and (object near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:29
S93	208	(user-defined near2 type) and (object with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:30
S94	2	(user-defined near2 type) and (object with class) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:30
S95	10	(user-defined near2 type) and (object with class) and (type with (directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:31
S96	5	(user-defined near2 type) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:33
S97	15	(user-defined near2 type) and (class near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:33

S98	10	(user-defined near2 type) and (class near2 path) and (class with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:34
S99	0	(hiearacty with objects)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:34
S10 0	2	(hierachy with objects)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:35
S10 1	6709	(tree with objects)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:35
S10 2	1350	(tree with objects) and (tree with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:35
S10 3	97	(tree with objects) and (tree with type) and (type with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 16:36
S10 4	4	(tree with objects) and (tree with type) and (type with identifier) and (user-defined near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:55